















- [6] Ulapane N, Alempijevic A, Calleja TV, Miro JV. (2017) Pulsed Eddy current sensing for critical pipe condition assessment. *Sensors*, 17(10):2208. doi: <https://doi.org/10.3390/s17102208>.
- [7] Buck JA, Kramer C, Lei J, Lepine BA. (2016) Field implementation of a transient Eddy current system for carbon steel pipe thickness measurements. In Proceedings of 6th International CANDU In-Service Inspection Workshop: 15–17 November 2016; Ontario
- [8] Cheng W. (2012) Pulsed Eddy current testing of carbon steel pipes' wall-thinning through insulation and cladding. *J. Nondestruct. Eval.*, 31(3): 215-224. doi: <https://doi.org/10.1007/s10921-012-0137-9>.
- [9] Huang C, Xinjun W, Zhiyuan X, Kang Y. (2010) Pulsed Eddy current signal processing method for signal denoising in ferromagnetic plate testing. *NDT E Int.*, 43(7): 648-653. doi: <https://doi.org/10.1016/j.ndteint.2010.06.010>.
- [10] Huang C, Wu X. (2015) An improved ferromagnetic material pulsed eddy current testing signal processing method based on numerical cumulative integration. *NDT E Int.*, 69: 35-39.
- [11] Sophian A, Tian GY, Taylor D, Rudlin J. (2003) Flaw detection and quantification for ferromagnetic steels using pulsed eddy current techniques and magnetization. *Laser Metrology and Machine Performance VI*, pp 381-390.
- [12] Daura LU, Tian GY, Yi Q, Sophian A. (2020) Wireless power transfer-based eddy current non-destructive testing using a flexible printed coil array: WPT based FPC-ECT. *Philos. Trans. R. Soc. A Math. Phys. Eng. Sci.*, 378:20190579 doi: <https://doi.org/10.1098/rsta.2019.0579>.
- [13] Nafiah F, Sophian A, Khan MR, Zainal Abidin IM. (2018) Quantitative evaluation of crack depths and angles for pulsed eddy current non-destructive testing, *NDT E Int.*, 102:180-188. doi: 10.1016/j.ndteint.2018.11.019.
- [14] Kernel (Covariance) Function Options [<https://www.mathworks.com/help/stats/kernel-covariance-function-options.html>]