

Public Health Informatics: The Importance of Covid-19 Dashboard in KSA for Sharing and Visualizing Health Information

ANAS ALI ALHUR *¹

¹Dept. Health Informatics, King Saud bin Abdulaziz University for Health Sciences (KSAU-HS)

*Corresponding author: Alhur12014@ksau-hs.edu.sa

ABSTRACT: Coronavirus pandemic was declared by the World Health Organization on March 11, 2020. Misinformation and social inequality have hindered nations from preparing for unprecedented crises such as the Covid-19 pandemic. The use of technology has enabled businesses, individuals, and governments to combat Covid-19. Containing and measuring global crises such as Coronavirus will require a critical assessment of technological developments. The Covid-19 dashboard developed by the Saudi Ministry of Health (MOH) is assessed and evaluated in this paper. A scope review of published and unpublished documents was conducted. The Saudi Arabia's MOH provides figures, graphs, and statistics. The researcher found that clicking one button provides access to critical information, enabling individuals to understand how the disease spreads around the country. The Saudi MOH's Covid-19 dashboard provided accurate, reliable, and current Coronavirus information. Covid-19 information is effectively communicated through technology. With the help of data visualization, many citizens can better understand COVID-19. The evolution of COVID-19 dashboards over time is crucial, given their dynamic nature. A broader range of indicators may assist in better monitoring the impact of COVID-19 on the economy and society. To curb the epidemic, it is crucial to integrate data from social, economic, and health sectors. During a crisis such as this, dashboards must include features that facilitate their use by people with disabilities.

KEY WORDS: Data Visualization, dashboards, Health Information Exchange, COVID-19, Data Sharing

1. INTRODUCTION

Since December 2019, COVID-19 has spread worldwide (Zhu et al., 2020). There has been a rapid adaptation of health care systems in these countries due to the increasing demand for health care. The World Health Organization (WHO) has identified digital health solutions as one of the most promising approaches for addressing this challenge in modern societies (Organization, 2020).

Despite the widespread implementation of various intervention measures, from national quarantines to school closings, almost all sectors of society have been negatively affected by the COVID-19 pandemic (Chowdhury et al., 2020; Lian et al., 2020). Moreover, SARS-CoV-2 has recently circulated multiple new, more transmissible strains worldwide (Organization, 2021). An increased interest in data

sharing has emerged in recent years, especially in healthcare, and it is supported by multiple parties such as the governments and funding programs (Hulsen, 2020). The Saudi Arabia government is focused on data sharing in many industries, and one of them is healthcare due to its significance. Identifying the strengths and weaknesses of the current dashboards is crucial. Data visualizations and dashboards are rarely studied in Saudi Arabia. Hence, this paper investigates the usability and usefulness of data sharing and visualization by examining the COVID-19 dashboard developed by the Saudi Arabia's Ministry of Health (MOH).

2. LITERATURE REVIEW

It is more important than ever to communicate a public health message during the ongoing Coronavirus disease 2019 (COVID-19) pandemic. Data visualization methods have recently been used to provide citizens with critical information through electronic platforms. Using data visualization tools, users can interact with data, interpret it, and make informed decisions (Wahi & Dukach, 2019; Wu et al., 2019). Visualization techniques are used in public health to communicate information about behavioral health, chronic illness risks, and access to care (Streeb et al., 2019).

There has been a significant contribution to the discoveries and inventions through data visualization over the centuries (Crapo et al., 2000). Visualization is concerned with exploring data and information (Janicke et al., 2007). In the earliest stages of data visualization, hand-drawing was used, then photo-etching was used, and now computer technology such as computer graphics and software, is used (Wilkinson & Friendly, 2009). The development of computer software has incredibly advanced data visualization. This allows users to manipulate a significant amount of data for exploration and examination more quickly and inexpensively (Li, 2020). Data visualization is typically associated with computer science and technological devices in contemporary society.

While Covid-19 continues ravaging the globe, Saudi Arabia recognizes it as a significant human-centered health and major crisis. Therefore, Saudi Arabia has implemented many safety measures for all citizens since the beginning of the pandemic, and this pandemic has sparked our government's interest in digitalization. For instance, the Saudi MOH has developed multiple superb platforms and health applications for the public, including Tawakkalna, Tabaud, and Covid-19 dashboards. Each of these apps and platforms serves a unique purpose, especially the Covid-19 dashboard which effectively visualizes Covid-19 cases in a country. Furthermore, it is accessible to anyone at any time with a continuous regular update of the cases by the Saudi MOH.

2.1 Data Visualization

Data visualization makes it easier for stakeholders to access and understand it. There has been a tenfold increase in the use of visualization in books over the past decade compared to computational biology, and a fivefold increase in the use of compilers (Shparberg, 2021). The term "data visualization" can be defined in several ways. Most definitions focus on connecting data and computer technology to transform data into a visual or sonic form. Furthermore, Manovich (2010) defines it as "a transformation of quantified data which is not visual into a visual representation" (p. 20). Moreover, Kirk (2012) defines data visualization as "the representation and presentation of data that exploits our visual perception abilities

in order to amplify cognition" (p. 17). La Valle recommends the visualization technique for gaining insight into complex and large datasets (LaValle et al., 2011). Some describe the dashboards as visual displays that summarize pertinent information, allowing an observer to monitor and understand the entire operation of a system (Few, 2006a).

Systems, Formal/Analysis, and Humans represent the theoretical foundations of visualization. As such there are multiple challenges associated with it due to theoretical foundations of visualization drawing on several domains. However, visualization relies significantly on data from other domains. There are often a few concrete examples from the experience of a few authors in the visualization literature in which a model or theory is based, and at times even no evidence is provided (Lloyd & Dykes, 2011; Munzner, 2009; Pretorius & Van Wijk, 2009). There are various types of evaluations and concepts used in the visualization literature that are not explained theoretically (Isenberg et al., 2013; Lam et al., 2011). Moreover, papers did not explicitly discuss data visualization theories but presented specific theories related to their subjects. With the Elaboration Likelihood Model as an example, Pandey and colleagues described the dual process of how a person interprets stimuli that influence attitude change by taking the central and peripheral routes. An important factor contributing to the process was the individual's ability to process the message without being cognitively burdened (Buntin et al., 2011; Pandey et al., 2014). Based on this theory, the authors designed an experiment to examine how persuasive data visualizations are in addressing controversial social issues. Five studies have demonstrated that visual displays assist users in better understanding the complex real-world issues by integrating large amounts of information from multiple sources and reducing cognitive burden, resulting in a more effective and efficient decision-making based on the information (Ballard, 2020).

2.2 Advantages of Data Visualization

The use of data visualization has a wide range of benefits. For instance, data visualization makes data accessible to a broad audience. Furthermore, detecting relationships that would otherwise remain hidden when visualized becomes easier. Additionally, visualizations facilitate the integration of multiple data sources by bringing together different types and scales of data into a single view. Data integration is vital in many fields, especially in public health and health informatics. Moreover, decision-making, learning, and analytical reasoning are all enhanced by visualizations due to their influence on human cognition (Parsons & Sedig, 2014). Also, a vast amount of data can be displayed instantly, and viewers can discover emerging patterns and properties in the data immediately, resulting in new insights.

Furthermore, it facilitates the comprehension of large and small datasets, regardless of their size (Li, 2020). According to Gray, Mayer, and Hughes' research, visualizing data facilitates the construction of hypotheses (Ware, 2012). In visualizing data, graphical representations of data or concepts are created, facilitating decision-making. Also, the researchers Nov, Satterthwaite, and Bertini (2014) found that graphs are more effective at persuading audiences and altering their attitudes than tables containing the same information (Pandey et al., 2014). In scientific disciplines, visual representations are widely acknowledged as effective and efficient methods of communicating information to populations with varying

levels of information processing ability. Arcia et al. (2013) reported that scientists had developed numerous visualizations to illustrate health status indicators in the scientific community. In multiple studies, traditional data visualization has been demonstrated to have many benefits, and its importance has been emphasized. However, during the researcher's investigation, only a limited number of studies have examined and addressed the issues associated with data visualization on electronic platforms during pandemics.

2.3 COVID-19 Dashboard: Saudi Arabia

A recent study illustrated that almost all Saudis have access to the Internet and the majority have their own smartphones (A. A. Alhur, 2021). Dashboards enable data visualization and provide a convenient means of analyzing a wide range of data (Sarıkaya et al., 2018). Therefore, Saudi Arabia's MOH established a dashboard after the spread of Covid-19. It is an effective tool for sharing information about disease cases throughout the country through this platform. As a result of the Coronavirus's recent emergence, there is a need to enhance public awareness. Therefore, the MOH ensures that the Covid-19 dashboard is easy to use and accessible to all citizens who have access to the internet. Globally, Covid-19 has impacted the social, economic, and political spheres. However, there is a significant lack of facts, data, and statistics on the exact impacts on most citizens (Sohrabi et al., 2020).

The MOH has developed the Covid-19 dashboard to bridge this gap and provide critical information and statistics to the public. Few defined the dashboard as "a visual display of the most important information needed to achieve one or more objectives" (Few, 2006b). The public must be informed about the pandemic in order to prepare for it.

With the proliferation of applications and users, user interfaces (UIs) are becoming increasingly important. Even though users avoid uncomfortable or difficult interfaces, they are less likely to interact with them. When developing applications or websites, it is essential to consider the UI since it connects the end-users with the functionality. Platform heterogeneity and user expectations have made the UI a pivotal element to consider (Akiki et al., 2014; Brennen et al., 2020). In 2007, Galitz stated that when designing an interface, it is vital to consider the users' needs, capabilities, and limitations (Galitz, 2007).

The COVID-19 dashboards provide accurate information about new cases, tests, and critical and recovered cases in the Kingdom of Saudi Arabia. Using visually appealing charts and statistics makes public instructions easier to understand. Therefore, the Saudi MOH designed this useful dashboard to allow citizens to be more knowledgeable about the effect of the disease in the country. Figure 2 shows that this dashboard offers practical features and an easy-to-use interface. How the data are presented has a significant impact on how they are interpreted. Therefore, dashboards that display information can smoothly scan all the data and determine the exact information needed.

The dashboard provides a concise summary of essential information that enables an individual to understand how the data trends on Covid-19 in Saudi Arabia are represented. Furthermore, the reports of cases, deaths, and which regions have the most cases have generated considerable concern. Thus, users can easily access the dashboard and identify the confirmed Coronavirus spread

among the country's cities (Fig. 5). By displaying which cities have the most disease cases on the dashboard, users can avoid visiting cities with a high rate of new Covid-19 cases (Fig. 3). They can protect themselves by taking these preventive measures. This ultramodern era of information technology makes the Covid-19 dashboard ideal for the government to spread public awareness about the pandemic and provide residents with essential information.

The dashboard allows the government to provide citizens with daily information about confirmed cases, deaths, and recovery rates. The availability of this information will facilitate the planning process for people. If the number of confirmed cases flattens, the government and the people can quickly reopen. Additionally, citizens can adjust and prepare for the potential consequences of an increase in Covid-19 positive cases. However, experts concluded that dashboards need more than just data visualizations in order to be effective public health tools. The dashboards should provide resources and patterns that can assist in the resource allocation and behavior modification (Fareed et al., 2021).

Dashboards with map-based communication are necessary to provide a global perspective on this pandemic. Using such tools, authorities can improve data transparency and disseminate information more effectively (Kamel Boulos & Geraghty, 2020). There has been unpredictability to the Covid-19 pandemic across the globe (Alkhamees et al., 2020). The situation has been similar in Saudi Arabia since the beginning of Covid-19 disease. The dashboard can provide valuable information about Coronavirus dynamics at the social, economic, and political levels. In the case of a pandemic such as Covid-19, trends must be monitored continuously.

One of the most critical factors in the success of a website is its accessibility. All Saudi citizens are offered equal access to the Covid-19 dashboard, developed by the Saudi MOH. The dashboard has been down only a few times since it launched, so it can be accessed 24 hours a day, seven days a week. The dashboard does not require any exceptional internet connectivity to access. Moreover, the Covid-19 dashboard by the Saudi MOH is compatible with all browsers, thus making it easy for all users to utilize. It is easy to navigate all data through a simple interface. Since the technical aspects of the dashboard have been simplified, all users regardless of their level of computer literacy will be able to access the dashboard (Alakhrass et al., 2021). However, assessing these dashboards are critical.

3. METHODOLOGY

3.1 Research Objectives

The objective of this study is to answer the following scopes:

- What are the benefits of the Covid-19 dashboard during the pandemic?
- What are the benefits of data visualization for delivering information to the public during the Covid-19 pandemic?

3.2 Research Method

Our scoping review followed the guidelines of PRISMA-ScR (Preferred Reporting Items for Systematic Reviews and Meta-Analyses Extension for Scoping Reviews) to achieve the study objective (Tricco et al., n.d.).

3.3 Search Sources

A search was conducted on March 12, 2022, in the following databases: Google Scholar, MEDLINE (via Ovid), PsycInfo (via Ovid), Embase (via Ovid), CINAHL (via EBSCO), ACM Digital Library, and IEEE Xplore. Google Scholar retrieved a massive number of publications, so only the first 100 were considered. We found that the results quickly lost its relevance and application beyond the first 100. Using the backward reference list screening and forward reference list screening, we identified further studies from the reference lists of the included studies and relevant reviews.

3.4 Search Terms

The search query for this review was developed after consulting two experts in data visualization and reviewing previous studies in this area. The expanded search query includes terms related to dashboards and data visualization (e.g., health information exchange, COVID-19, data sharing, and effectiveness).

3.5 Criteria for Study Eligibility

The study included only those that focused on the dashboards or data visualizations. This study focused on the digital data visualizations, such as those found on mobile phones and personal computers, and excluded non-digital data visualizations. Data visualization and dashboard studies that provide an overview or recommendation were excluded. Only empirical research in English was included in this review. Also included were books, conference proceedings, dissertations, and peer-reviewed articles. Reviews, conference abstracts, ideas, editorials, and commentary were excluded. In no way did we limit the publication year, the publication nation, the study methodology, the population, or the results of the study. The study selection process was divided into three stages: (1) removing duplicates from all retrieved studies using Zotero, (2) skimming titles and abstracts, and (3) reviewing the full texts of the studies that passed the first step. The full-text screening process involves reading the entire paper, including all supporting documents from the beginning to the end. Two reviewers independently conducted the selection process. A consultation with two more reviewers was conducted at the second and third stages of the review process.

3.6 Data Extraction

The data extraction form for this review was pilot tested using five studies included in the review. In an independent review, three reviewers used Microsoft Excel to extract data regarding the included studies, dashboards, and data visualizations. Any disagreements among the reviewers were discussed.

3.7 Data Synthesis

In this study, data extracted from the publications included in the study were synthesized using a narrative synthesis approach. A description of the dashboards and data visualizations used in the included studies was provided, including their name, target condition, purpose, connectivity, interface, genre, type, and platform.

Then, we discussed the purpose, type, size, performance, and features of the dashboards and data visualizations used in the included studies. The data synthesis was managed using Microsoft Excel.

4. RESULT AND DISCUSSION

According to Fig. 1, Saudi Arabia has a young population, with most residents under 65 years of age. Furthermore, studies in Saudi Arabia recently reported that only a small fraction of the population is without the internet access (A. Alhur, 2022; A. A. Alhur, 2021; A. Alhur & Alhur, 2022). We can easily observe that user interfaces have become increasingly important with the increase in users and applications. Although users avoid uncomfortable or difficult interfaces, they are less likely to interact with them. It is apparent from Fig. 3 that the interface of the dashboard is simple and has a limited number of buttons, making it extremely easy for users with little computer literacy to navigate. However, in this contemporary, the researcher externally emphasizes the importance of eHealth literacy. Generally, eHealth, sometimes called electronic health, is defined as a new term to describe the combined use of electronic communication and information technology in the health sector. Digital data is used in the health sector – transmitted, stored, and retrieved electronically – for clinical, educational, and administrative purposes at the local site and distance (Mitchell, 1999).

Overall, there are many definitions of health literacy (HL), but in general, they are skills and competencies that enable a person to interpret health information and apply it to inform health-related decisions. In this digital age, eHealth literacy has become necessary due to the diffusion of information over the World Wide Web (WWW). Furthermore, Norman and Skinner, as pioneers in the field, introduced the term eHealth Literacy (eHL), which means "the ability to seek, find, understand, and appraise health information from electronic sources and apply the knowledge gained to addressing or solving a health problem" (p. 1)(Norman & Skinner, 2006). According to researchers at University of Oxford, there is massive misinformation about Covid-19, which comes in various forms from various sources (Brennen et al., 2020). The explosion of information on the internet requires individuals to possess the analytical skills necessary to make informed decisions. Moreover, the following factors affect eHL: an individual's presenting health issue, their educational background, their health status at the time of the encounter, their motivation to seek out information, and the technology used.




Fig. 1. The Kingdom's Population Pyramid




Fig. 2. The COVID-19 Dashboard Interfaces

The graph above illustrates the ease and efficiency with which it is possible to determine the number of confirmed cases of Covid-19 and their distribution within the Kingdom of Saudi Arabia. The users can track the cases based on confirmed cases, active regions, governorates, or critical cases. The circle size indicates the rate of cases and their location. For instance, the smallest circle demonstrates > 5 - 50, whereas the largest for the highest number of cases is > 45,000 - 60,000.




Fig. 3. The confirmed cases

As shown in Fig. 4 below, new Covid-19 cases reported to the Ministry of Health are displayed daily at <https://covid19.moh.gov.sa/>. Users can switch from daily to cumulative results with just a click. Furthermore, researchers developed mathematical regression models to predict daily confirmed cases of Covid-19 in Egypt and Saudi Arabia using different mathematical regression models.




Fig. 4. The Daily New Cases

Data is displayed in a bar chart, also known as a bar graph. Some literature refers to bar charts as column charts. In most cases, bar charts are used to display discrete data rather than continuous data. The vertical length of the bars in the bar charts represents the data value represented by the horizontal bars (ADOBE, 2008).

Based on the figure below, it is evident that Riyadh ranks first, followed by Makkah with 75 and 68, respectively. Only one case was reported in Al Jawf that day, the lowest number ever. Users can obtain information more efficiently when they use this type of illustration.




Fig. 5. Graph new cases by region

The concept of line charts is well known in many fields and is also known as line graphs. In this graph, information is presented as a series of connected points. In many situations, line charts are used to visualize trends in data over time intervals, which means that they are used to demonstrate the behavior of data over a specific period (Salkind & Frey, 2021).

Saudi Arabia had a fatality rate of 1%, compared with 3.47% worldwide on August 23, 2020. It can be seen from this graph that the number of critical cases-cumulative was unstable from the beginning of the trend, but in the last months, it has been deficient and approximately steady. Therefore, understanding this type of illustration does not require much effort.




Fig. 6. Critical Cases- Cumulative

The graph shows information about the case trends in Saudi Arabia from the start of the Covid-19 period, in terms of total cases, total recovery, and activity. The

graph below lets users quickly determine the trends of the cases. Digital dashboards have many advantages and optimization possibilities in public health and clinical practice. Dashboard visualizations of information, for example, may be connected to other systems via interfaces so that data can be automatically transferred. This ensures the accuracy of the displayed information. A color or other visual feature can also draw the viewer's attention to important information (Denecke & Nüssli, 2020).




Fig. 7. Cases Trends

Dashboards were successfully used during the COVID-19 pandemic to track cases, deaths, and test and manage the patient flow (Ahmed et al., 2020). The United States has developed a dashboard for the COVID-19 vaccine so that the vaccine safety data may be analyzed timely and disseminated effectively (Weintraub et al., 2021).

According to the graph, the first dose was administered to over 26,700,000 people, while the second was administered to 25,082,132 people. It was estimated that 66,700,629 doses were given to Saudi citizens on 8/4/2022, including booster doses. In addition, 14,904,575 booster doses were administered, and 1,962,484 elderlies were vaccinated.




Fig. 8. Cases Trends

The United States has developed a dashboard for the COVID-19 vaccine so that the vaccine safety data may be analyzed timely and disseminated effectively

(Weintraub et al., 2021). This demonstrates the significance of the dashboards worldwide; they were utilized for various purposes.

Some issues were associated with the Covid-19 dashboards, for instance, research in 2022 indicated that 28% of Covid-19 dashboards used inappropriate or poorly defined epidemiological variables. 64% of the cases did not adhere to standard cartographic principles regarding colors and sizes (Il Yooa & Kronenfelda, 2020). Additionally, researchers concluded that actionable dashboards are necessary to facilitate effective decision-making across audiences. Dashboards are essential tools for monitoring the Covid-19 pandemic, but maintaining their value requires understanding the stages of the pandemic. Further, there is a lack of proficiency in using communication features effectively. The developers of Covid-19 dashboard should better utilize public health and communication specialists to ensure that the data is accessible to the general public (Barbazza et al., 2021). Furthermore, as stated by Hu et al. (2020a), there are significant differences in the messages and data templates used in the production of epidemic surveillance summaries and verified case reports which may have to be updated following pandemics or catastrophic events.

In contrast, many studies demonstrated that Covid-19 dashboards and data are highly beneficial and impacted in a wide range of ways in facilitating our lives. First and foremost, dashboards were successfully used during the Covid-19 pandemic to track cases, deaths, and test and manage the patient flow process (Ahmed et al., 2020). Researchers, transportation authorities, and the general public can make better-informed decisions using this interactive dashboard (Zuo et al., 2020). It has been highlighted in other studies that epidemiological studies on Covid-19 heavily rely on confirmed case reports (Lauer et al., 2020; Vahedi et al., 2022).

Moreover, reports and data are needed to guide complex policy decisions during the current pandemic (Azman & Luquero, 2020). The Saudi Arabia Covid-19 and other global dashboards found during the investigation contained summaries of the deaths, active, confirmed cases, and others. Thus, it will be a valuable tool for guiding complex epidemiological studies and making more informed decisions.

Public health emergencies require effective communication and information exchange between all stakeholders to facilitate informed decisions (Moorthy et al., 2020). For instance, data visualization can provide insights into vaccine allocation, scheduling, and prioritization (Shaheen et al., 2021). Consequently, a large number of people are expected to be vaccinated. It is suggested that health officials and policymakers immediately develop dashboards in the case of similar conditions and update the existing dashboards continuously (Vahedi et al., 2022). It has been found in the recent studies conducted in the United States that websites must adhere to usability guidelines in order to be useful (Hu et al., 2020b). Furthermore, research recently indicated that Chinese city websites must provide information during emergencies, label the content categories, properly present information, and address audiences' needs (Devine et al., 2016a). The pandemic may be reduced by disseminating unbiased and highly accurate information (Zhang et al., 2021).

Several limitations were identified in this study. First, the study examined only one dashboard in the country. Second, local information disclosure performance may change over time due to the rapidly changing Covid-19 situation in different countries. A future study may shed light on the manner in which the authorities deal

with the pandemic situation. Official websites and data remain the most authoritative and reliable sources of information. Accordingly, these online dashboards were considered key public resources for this study. The public may benefit from being kept informed about the Covid-19 developments in real-time through the dashboard (Devine et al., 2016b). As a result, the findings of this study may provide guidance to policymakers and data visualizers in the future.

5. CONCLUSION

The aim of the present research is to examine the importance of data sharing and visualization, focusing on the Covid-19 dashboard which is developed by the Saudi Arabia's MOH. The Covid-19 virus and its symptoms have been a source of concern for nations since the pandemic outbreak. In response to Covid-19, there was a widespread infodemic, resulting in the dissemination of an enormous amount of misinformation and statistics. However, some countries, such as Saudi Arabia, have introduced web-based communication solutions. Users found up to date, accurate, and reliable information about Coronavirus cases on the Covid-19 dashboard of the MOH in Saudi Arabia. Obtaining this information is crucial to the eradication of the virus. Controlling the virus will require accurate and relevant information to be provided to people consistently. Therefore, utilizing technology to communicate with all stakeholders about Covid-19 has proven to be a successful strategy. Individuals interested in using this dashboard can gain a deeper understanding of COVID-19 cases by using the Saudi Arabia's MOH Covid-19 dashboard.

6. RECOMMENDATIONS

First, since Covid-19 dashboards are highly dynamic, it is necessary to analyze how they have evolved. Second, a broader range of indicators may enhance the monitoring of Covid-19 and its economic and social impacts. Next, the interoperability of health, social, and economic data sources is essential for better measuring and controlling the epidemic in the future. Lastly, adding additional features to these dashboards is needed to facilitate the use of these dashboards by people with disabilities during such pandemics.

ACKNOWLEDGEMENT

This research received no external funding, and the author declares no conflict of interest.

REFERENCES

- ADOBE, F. (2008). *Advanced Data Visualization Developer Guide*.
- Ahmed, K., Bukhari, M. A., Mlanda, T., Kimenyi, J. P., Wallace, P., Lukoya, C. O., Hamblion, E. L., & Impouma, B. (2020). Novel approach to support rapid data collection, management, and visualization during the COVID-19 outbreak response in the world Health organization African region: Development of a data Summarization and visualization tool. *JMIR Public Health and Surveillance*, 6(4), e20355.
- Akiki, P. A., Bandara, A. K., & Yu, Y. (2014). Adaptive model-driven user interface development systems. *ACM Computing Surveys (CSUR)*, 47(1), 1–33.
- Alakhrass, H., Al Mulla, A., Al-Akhrass, S. K., & Aljuaid, M. (2021). Ministry of health Saudi Arabia: COVID-19 website benefits and validity and reliability of the data. *Health*, 13(1), 40–46.

- Alhur, A. (2022). Exploring Saudi Arabia Individuals' Attitudes toward Electronic Personal Health Records. *Journal of Computer Science and Technology Studies*, 4(1), 80–87.
- Alhur, A. A. (2021). The Effectiveness of E-learning in Saudi Arabia During the Spread of COVID-19. *International Journal of Advanced Research in Education and Society*, 3(4), 156–165.
- Alhur, A., & Alhur, A. A. (2022). The Acceptance of Digital Health: What about Telepsychology and Telepsychiatry? *Jurnal Sistem Informasi*, 18(2), 18–35.
- Alkhamees, A. A., Alrashed, S. A., Alzunaydi, A. A., Almohimeed, A. S., & Aljohani, M. S. (2020). The psychological impact of COVID-19 pandemic on the general population of Saudi Arabia. *Comprehensive Psychiatry*, 102, 152192.
- Arcia, A., Bales, M. E., Brown III, W., Co Jr, M. C., Gilmore, M., Lee, Y. J., Park, C. S., Prey, J., Velez, M., & Woollen, J. (2013). Method for the development of data visualizations for community members with varying levels of health literacy. *AMIA Annual Symposium Proceedings*, 2013, 51.
- Azman, A. S., & Luquero, F. J. (2020). From China: Hope and lessons for COVID-19 control. *The Lancet Infectious Diseases*, 20(7), 756–757.
- Ballard, A. (2020). Promoting performance information use through data visualization: Evidence from an experiment. *Public Performance & Management Review*, 43(1), 109–128.
- Barbaza, E., Ivanković, D., Wang, S., Gilmore, K. J., Poldrugovac, M., Willmington, C., Larrain, N., Bos, V., Allin, S., & Klazinga, N. (2021). Exploring changes to the actionability of COVID-19 dashboards over the course of 2020 in the Canadian context: Descriptive assessment and expert appraisal study. *Journal of Medical Internet Research*, 23(8), e30200.
- Brennen, J. S., Simon, F. M., Howard, P. N., & Nielsen, R. K. (2020). *Types, sources, and claims of COVID-19 misinformation* [PhD Thesis]. University of Oxford.
- Buntin, M. B., Burke, M. F., Hoaglin, M. C., & Blumenthal, D. (2011). The benefits of health information technology: A review of the recent literature shows predominantly positive results. *Health Affairs*, 30(3), 464–471.
- Chowdhury, R., Luhar, S., Khan, N., Choudhury, S. R., Matin, I., & Franco, O. H. (2020). Long-term strategies to control COVID-19 in low and middle-income countries: An options overview of community-based, non-pharmacological interventions. *European Journal of Epidemiology*, 35(8), 743–748.
- Crapo, A. W., Waisel, L. B., Wallace, W. A., & Willemain, T. R. (2000). Visualization and the process of modeling: A cognitive-theoretic view. *Proceedings of the Sixth ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, 218–226.
- Denecke, K., & Nüssli, S. (2020). Dashboard visualization of information for emergency medical services. *Integrated Citizen Centered Digital Health and Social Care: Citizens as Data Producers and Service Co-Creators*, 275, 27.
- Devine, T., Broderick, J., Harris, L. M., Wu, H., & Hilfiker, S. W. (2016a). Making quality health websites a national public health priority: Toward quality standards. *Journal of Medical Internet Research*, 18(8), e5999.
- Devine, T., Broderick, J., Harris, L. M., Wu, H., & Hilfiker, S. W. (2016b). Making quality health websites a national public health priority: Toward quality standards. *Journal of Medical Internet Research*, 18(8), e5999.

- Fareed, N., Swoboda, C. M., Chen, S., Potter, E., Wu, D. T., & Sieck, C. J. (2021). US COVID-19 state government public dashboards: An expert review. *Applied Clinical Informatics*, 12(02), 208–221.
- Few, S. (2006a). *Information dashboard design: The effective visual communication of data*. O'Reilly Media, Inc.
- Few, S. (2006b). *Information dashboard design: The effective visual communication of data*. O'Reilly Media, Inc.
- Galitz, W. O. (2007). *The essential guide to user interface design: An introduction to GUI design principles and techniques*. John Wiley & Sons.
- Hu, G., Li, P., Yuan, C., Tao, C., Wen, H., Liu, Q., & Qiu, W. (2020a). Information disclosure during the COVID-19 epidemic in China: City-level observational study. *Journal of Medical Internet Research*, 22(8), e19572.
- Hu, G., Li, P., Yuan, C., Tao, C., Wen, H., Liu, Q., & Qiu, W. (2020b). Information disclosure during the COVID-19 epidemic in China: City-level observational study. *Journal of Medical Internet Research*, 22(8), e19572.
- Hulsen, T. (2020). Sharing is caring—Data sharing initiatives in healthcare. *International Journal of Environmental Research and Public Health*, 17(9), 3046.
- Il Yooa, K., & Kronenfelda, B. J. (2020). An evaluation of COVID-19 dashboards from cartographic and epidemiological perspectives. *Cartogr. Geogr. Inf. Sci.(CaGIS)*, 1–8.
- Isenberg, T., Isenberg, P., Chen, J., Sedlmair, M., & Möller, T. (2013). A systematic review on the practice of evaluating visualization. *IEEE Transactions on Visualization and Computer Graphics*, 19(12), 2818–2827.
- Janicke, H., Wiebel, A., Scheuermann, G., & Kollmann, W. (2007). Multifield visualization using local statistical complexity. *IEEE Transactions on Visualization and Computer Graphics*, 13(6), 1384–1391.
- Kamel Boulos, M. N., & Geraghty, E. M. (2020). Geographical tracking and mapping of coronavirus disease COVID-19/severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) epidemic and associated events around the world: How 21st century GIS technologies are supporting the global fight against outbreaks and epidemics. In *International journal of health geographics* (Vol. 19, Issue 1, pp. 1–12). BioMed Central.
- Lam, H., Bertini, E., Isenberg, P., Plaisant, C., & Carpendale, S. (2011). Empirical studies in information visualization: Seven scenarios. *IEEE Transactions on Visualization and Computer Graphics*, 18(9), 1520–1536.
- Lauer, S. A., Grantz, K. H., Bi, Q., Jones, F. K., Zheng, Q., Meredith, H. R., Azman, A. S., Reich, N. G., & Lessler, J. (2020). The incubation period of coronavirus disease 2019 (COVID-19) from publicly reported confirmed cases: Estimation and application. *Annals of Internal Medicine*, 172(9), 577–582.
- LaValle, S., Lesser, E., Shockley, R., Hopkins, M. S., & Kruschwitz, N. (2011). Big data, analytics and the path from insights to value. *MIT Sloan Management Review*, 52(2), 21–32.
- Li, Q. (2020). Overview of data visualization. In *Embodying data* (pp. 17–47). Springer.
- Lian, X., Huang, J., Huang, R., Liu, C., Wang, L., & Zhang, T. (2020). Impact of city lockdown on the air quality of COVID-19-hit of Wuhan city. *Science of the Total Environment*, 742, 140556.

- Lloyd, D., & Dykes, J. (2011). Human-centered approaches in geovisualization design: Investigating multiple methods through a long-term case study. *IEEE Transactions on Visualization and Computer Graphics*, 17(12), 2498–2507.
- Mitchell, J. (1999). From telehealth to e-health: The unstoppable rise of e-health. Canberra, Australia: Commonwealth Department of Communications. *Information Technology and the Arts (DOCITA)*.
- Moorthy, V., Restrepo, A. M. H., Preziosi, M.-P., & Swaminathan, S. (2020). Data sharing for novel coronavirus (COVID-19). *Bulletin of the World Health Organization*, 98(3), 150.
- Munzner, T. (2009). A nested model for visualization design and validation. *IEEE Transactions on Visualization and Computer Graphics*, 15(6), 921–928.
- Norman, C. D., & Skinner, H. A. (2006). eHealth literacy: Essential skills for consumer health in a networked world. *Journal of Medical Internet Research*, 8(2), e506.
- Organization, W. H. (2020). *Responding to community spread of COVID-19: Interim guidance, 7 March 2020*. World Health Organization.
- Organization, W. H. (2021). *COVID-19 weekly epidemiological update, 27 January 2021*.
- Pandey, A. V., Manivannan, A., Nov, O., Satterthwaite, M., & Bertini, E. (2014). The persuasive power of data visualization. *IEEE Transactions on Visualization and Computer Graphics*, 20(12), 2211–2220.
- Parsons, P., & Sedig, K. (2014). Common visualizations: Their cognitive utility. In *Handbook of human centric visualization* (pp. 671–691). Springer.
- Pretorius, A. J., & Van Wijk, J. J. (2009). What does the user want to see? What do the data want to be? *Information Visualization*, 8(3), 153–166.
- Salkind, N. J., & Frey, B. B. (2021). *Statistics for people who (think they) hate statistics: Using Microsoft Excel*. Sage publications.
- Shaheen, A. W., Ciesco, E., Johnson, K., Kuhnen, G., Paolini, C., & Gartner, G. (2021). Interactive, on-line visualization tools to measure and drive equity in COVID-19 vaccine administrations. *Journal of the American Medical Informatics Association*, 28(11), 2451–2455.
- Shparberg, A. L. (2021). Google Books Ngram Viewer. *The Charleston Advisor*, 23(1), 16–19.
- Sohrabi, C., Alsafi, Z., O’neill, N., Khan, M., Kerwan, A., Al-Jabir, A., Iosifidis, C., & Agha, R. (2020). World Health Organization declares global emergency: A review of the 2019 novel coronavirus (COVID-19). *International Journal of Surgery*, 76, 71–76.
- Streeb, D., El-Assady, M., Keim, D. A., & Chen, M. (2019). Why visualize? Untangling a large network of arguments. *IEEE Transactions on Visualization and Computer Graphics*, 27(3), 2220–2236.
- Tricco, A. C., Lillie, E., Zarin, W., O’Brien, K. K., Colquhoun, H., Levac, D., Moher, D., Peters, M. D. J., Horsley, T., & Weeks, L. (n.d.). Ö Tunçalp, Straus SE. 2018. *PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation*. *Annals of Internal Medicine*, 169(7), 467–473.
- Vahedi, A., Moghaddasi, H., Asadi, F., Hosseini, A., & Nazemi, E. (2022). Applications, features and key indicators for the development of Covid-19 dashboards: A systematic review study. *Informatics in Medicine Unlocked*, 100910.
- Wahi, M. M., & Dukach, N. (2019). Visualizing infection surveillance data for policymaking using open source dashboarding. *Applied Clinical Informatics*, 10(03), 534–542.

- Ware, C. (2012). *Information Visualization: Perception for Design*, Burlington, MA. *Morgan Kaufmann Wolfe, JM and Pashler, H.*(1998) *Visual Search, Attention*, 1, 13–73.
- Weintraub, M. P. H., Fireman, B., Gee, J., Goddard, K., Hanson, K., Kieke, B., Lee, C., Lewis, N., McClure, D., & McNeil, M. (2021). *Rapid Cycle Analysis (RCA) to monitor the safety of COVID-19 vaccines in near real-time within the Vaccine Safety Datalink*.
- Wilkinson, L., & Friendly, M. (2009). The history of the cluster heat map. *The American Statistician*, 63(2), 179–184.
- Wu, D. T., Chen, A. T., Manning, J. D., Levy-Fix, G., Backonja, U., Borland, D., Caban, J. J., Dowding, D. W., Hochheiser, H., & Kagan, V. (2019). Evaluating visual analytics for health informatics applications: A systematic review from the American Medical Informatics Association Visual Analytics Working Group Task Force on Evaluation. *Journal of the American Medical Informatics Association*, 26(4), 314–323.
- Zhang, X., Zhang, Z.-K., Wang, W., Hou, D., Xu, J., Ye, X., & Li, S. (2021). Multiplex network reconstruction for the coupled spatial diffusion of infodemic and pandemic of COVID-19. *International Journal of Digital Earth*, 14(4), 401–423.
- Zhu, N., Zhang, D., Wang, W., Li, X., Yang, B., Song, J., Zhao, X., Huang, B., Shi, W., & Lu, R. (2020). A novel coronavirus from patients with pneumonia in China, 2019. *New England Journal of Medicine*.
- Zuo, F., Wang, J., Gao, J., Ozbay, K., Ban, X. J., Shen, Y., Yang, H., & Iyer, S. (2020). An interactive data visualization and analytics tool to evaluate mobility and sociability trends during covid-19. *ArXiv Preprint ArXiv:2006.14882*.